

UPS

Buyer's Guide

- 01** **What is a UPS?**
- 02** **Why Does My IT Infrastructure Need a UPS?**
- 03** **Common Features of UPS Systems**
 - ENERGY STORAGE SYSTEMS
 - BATTERIES
 - POWER PROTECTION
 - MONITORING SOLUTIONS
 - POWER SUPPLY
- 04** **UPS Topology**
 - STANDBY OR OFF-LINE SYSTEM
 - LINE-INTERACTIVE POSITION
 - ON-LINE DOUBLE CONVERSION
- 05** **UPS Applications**
 - DESKTOP UPS
 - SERVER UPS
 - RACKMOUNT UPS
 - MID-RANGE UPS
 - ENTERPRISE UPS
- 06** **How to Choose a UPS**
 - FORM FACTOR
 - POWER REQUIREMENTS
 - BATTERY RUNTIME
 - POWER PROTECTION
 - UPTIME REQUIREMENTS

01

What is a UPS?

A UPS, or uninterruptible power supply, is a device which provides emergency power to IT equipment when the primary power source is interrupted or fails.

A UPS is a limited duration power source which enables you to:

- Ride through a short power outage
- Provide time for a generator to kick in
- Allow for orderly shutdown of IT equipment
- Additionally, many UPS systems offer complete power conditioning to protect connected equipment from power anomalies

Whether your IT equipment is in an IDF room or a large data center, a UPS is an important part of your availability, disaster recovery, and business continuity plans.



1 HR of data center downtime can cost an organization more than a half-million dollars.

[*Source](#)



The average cost of a data center outage is \$740,357

[*Source](#)

02

Why Does My IT Infrastructure Need a UPS?

The impact from technology failure and downtime can be significant and far reaching: customers can't place orders online, employees can't work, airplanes can't fly, and the reliability of your business is at stake.

Without a UPS, power failures can cause significant business interruption:

- System failure
- Equipment damage
- Data loss
- And, for healthcare entities, potential HIPAA violations



03

Common Features of UPS Systems

Energy Storage Systems

Providing backup power to critical loads requires a UPS and an [energy storage solution](#) like batteries or flywheels.

Considerations of energy storage include:

- Runtime
- Power density
- Footprint
- Weight
- Reliability
- Cost
- Operating temperature

Energy storage solutions include:

BATTERIES

- **VRLA (valve-regulated lead-acid) Batteries** are sometimes called sealed lead-acid (SLA), gel cell, or maintenance free battery. VRLA batteries are rechargeable and low-maintenance, but still require regular cleaning and testing.
- **Lithium Ion Batteries** are a viable alternative to VRLA technologies. Lithium-ion batteries have a significantly longer life span, require less maintenance and service, and have a much smaller footprint - allowing floor space to be dedicated to cooling requirements, resulting in lower operating costs.

- **Flywheels** are a battery-less solution. They deploy kinetic energy (created by an internal rotating mass), which can be utilized to provide power. Flywheels can be connected in parallel to increase power and runtime. For those who wish to lessen their dependency on batteries, and who do not require longer runtimes, flywheels may be a better option.



Power Protection

Electricity flowing through power lines can cause irregularities such as swells, sags, spikes, and other power anomalies. In environments with voltage issues, frequently switching to battery can drain reserve power and ultimately shorten the UPS's battery life. Some line interactive UPS systems can detect power issues and correct them without using battery power.

Additionally, most UPS devices shield sensitive equipment from damaging power surges which may damage equipment, and cause data loss.



Monitoring Solutions

BATTERY MONITORING SYSTEMS

Battery monitoring systems fit inside or on top of your UPS cabinet and identify potential problems such as cell voltage, overall string voltage, current, and temperature.

If the batteries exceed set thresholds, IT managers can take the proactive action of replacing the bad battery before it affects the others in the string, or before it causes complete string failure.

MONITORING SOFTWARE

Monitoring software like [Trellis](#) or [SiteScan](#) helps identify battery problems before they impact operations.

You can rely on up-to-date, comprehensive data about devices and equipment locations, current capacities and power usage to confidently implement installs and changes without compromising availability.




Approximately **37%**
of all UPS system failures
are battery related.

Power Supply


Selecting an appropriate UPS power-distribution system is essential to ensure availability of critical applications. UPS systems are categorized into 2 power distribution types:

SINGLE PHASE:



- Supplies ample power for most smaller customers, including small, non-industrial businesses, or small IT sites
- Adequate for running motors up to about 5 horsepower; a single-phase motor draws significantly more current than the equivalent 3-phase motor

THREE PHASE:



- Common in large businesses, as well as industries which require high-density and power
- Allows for smaller, less expensive wiring and lower voltages, making it safer and less expensive to run

04

UPS Topology

The types of uninterruptible power supply systems are defined by how power moves through the unit:

Standby or Off-Line System

The AC input is filtered through the unit and past the transfer switch at the output point.


When an input power failure happens, the battery and the inverter (converts the battery's DC power to AC) are activated and power the output.



Ideal for: Standby uninterruptible power supply systems are relatively low-cost and efficient, work best in applications under 2kVA, and are frequently used for personal computers and workstations.

Line-Interactive System


The inverter becomes part of the output and is always on. The inverter can operate in reverse to charge the battery while AC input is normal, and switch to battery power when input fails, which provides filtering and voltage regulation.



Ideal for: The line-interactive UPS is a highly reliable and efficient system, and is well-suited for small business, web, and departmental servers, though it becomes impractical in applications over 5kVA.

On-Line Double Conversion

For higher voltage applications, the inverter is the primary power path instead of the AC input. Used with above 10kVA, the AC input is converted to DC power to charge the battery, and then flows through the inverter, which converts it back to AC for output.



This eliminates any spikes or dips from the input, but lowers efficiency and increases heat generation as well as wear on components.

Ideal for: Small to large data centers, critical systems that require UPS support for entire facilities.

05

UPS Applications

UPS models come in a variety of specifications to provide the right fit for applications from desktop workstations to enterprise data centers. To understand the basic categories of UPS equipment, let's look at some common server and desktop UPS models.

UPS under 10kVA

Desktop UPS models supply power to the computer and monitor in the event of a power outage. Many models are rated on the length of time they will provide battery power. Most desktop UPSs provide enough time to save work and properly shut down the CPU. Power output for desktop UPS equipment ranges from 250 VA - 3000 VA.

PRODUCT HIGHLIGHT: LIEBERT ITA2

Type: Three phase

Topology: Double conversion

Power Capacity: 8-10kVA

Input Voltage: 208V

Output Voltage: 208V

Form Design: Rackmount or tower

Backup: Flexible backup options

Ideal for: Professional workstations, small routers and bridges, point-of-sale terminals, other sensitive electronics



Server UPS

Server UPS equipment is designed not only with backup time requirements, but also sophisticated power specifications. Some common server UPS specifications include:

- Power output (watts)
- Voltage
- Number of receptacles
- Sine wave power
- Hot-swappable
- Energy savings
- Data line protection

Because server UPS models vary greatly, we've sub-categorized them below.

Rackmount UPS

[A rackmount UPS model](#) is designed to fit a standard 19" rack mount. Mounting your UPS in a server rack is a great way to organize your hardware and manage cables. Power output for rackmount UPS equipment ranges from 500 VA - 20 kVA.

PRODUCT HIGHLIGHT: LIEBERT GXT4

Type: Single phase

Topology: On-line, double conversion

Power Capacity: 500-10,000VA

Input Voltage: 120/208V

Output Voltage: 120/208V

Form Design: Rack or tower configuration

Backup: Flexible backup options

Ideal for: PCs, Network Stations and Closets, VoIP



PRODUCT HIGHLIGHT: LIEBERT ITA2

Type: Three phase

Topology: Double conversion

Power Capacity: 8-10kVA

Input Voltage: 208V

Output Voltage: 208V

Form Design: Rackmount or tower

Backup: Flexible backup options

Ideal for: Professional workstations, small routers and bridges, point-of-sale terminals, other sensitive electronics



Mid-Range UPS

Mid-range UPS equipment is best used in applications like a small business data center, critical systems operation, or any environment which requires UPS support for the entire facility. These UPSs are large enough to require a stand-alone cabinet and include features like touch screen controls and system status at a glance. Power output for mid-range UPS equipment ranges from 10 kVA – 250 kVA.

PRODUCT HIGHLIGHT: LIEBERT EXM

Type: Three phase

Topology: Online, Double Conversion

Power Capacity: 350-500VA/210-300W

Input Voltage: 208V-480V

Output Voltage: 208V-480V

Form Design: Transformer Free

Backup: Flexible Backup Options

Ideal for: Edge of the network operations, emergency lighting, small to mid-sized IT applications



Enterprise UPS

[Enterprise UPS equipment](#) is top of the line offering the most power output, flexibility, and management control. This type of UPS is best with large data centers and critical information environments, like financial and healthcare industries. Models are stand-alone cabinets and range in size depending on capacity and features. Power output for Enterprise UPS equipment ranges from 225 kVA – 1200 kVA.

PRODUCT HIGHLIGHT: LIEBERT EXL S1

Type: Three phase

Topology: Double Conversion, Dynamic Online, ECO Mode

Power Capacity: 625-1200kVA

Input Voltage: 480V

Output Voltage: 480V

Form Design: Transformer Free

Backup: Flexible Backup Options

Ideal for: Large data and mission critical environments like healthcare and financial institutions



06

How to Choose a UPS

The UPS is an essential element of your power protection strategy, so choosing the right UPS, capable of supplying enough power to meet your goals, is key. Consider these factors:



Environment

Understanding the capabilities and limitations of your installation environment is a vital part of power system design and planning process. UPS systems come in different forms.

For example, tower models are compact and typically fit on desks to protect computers whereas rack-mount models are typically used in IDF rooms. Some UPS Models have a rack-tower design which adapts to all types of installations.

Power Requirements

Determine the amount of power needed for critical applications in your infrastructure. The UPS must handle the total electric load of equipment connected to it.



- Any device plugged into your UPS system constitutes a load, and all connected devices are part of the total load. Calculating the total load is important because the UPS system must be powerful enough to handle the wattage. Make sure capacity is sufficient for current load and growth.
- Adding batteries to an existing UPS system can be an efficient approach to backup power. With external battery cabinets, UPS systems can be configured with an hour or more of runtime, providing continuity through all but the most extreme outages.

Consider the [Trellis Platform Capacity Planning Solution](#), which can help determine if existing hardware is meeting the company's needs.

Battery Runtime

Battery runtime calculates the number of minutes that the UPS can provide battery backup power to connected equipment when an outage occurs. As power capacity increases, runtime decreases.



- UPS systems that rely on the battery to condition power (line interactive) will drain their battery more frequently than UPS systems that condition power through the double-conversion process.
- Consider a UPS system that can work in conjunction with an external battery pack to extend the runtime during a power outage.
- Make sure the UPS has enough battery-protected outlets for your equipment.



Power Protection

For data centers and mission-critical facilities, having a UPS solution with the right power protection is essential for availability.

Some UPS systems have a transient voltage surge suppression (TVSS) circuitry inside which provides protection for the connected equipment from incoming spikes, surges, and other power anomalies present on the incoming utility power source.

Other UPS systems feature a redundant design like a double-conversion, which also helps ensure power is available and running even through power disruptions, fluctuations, and outages.

UPTIME TIER LEVELS

	TIER 1	TIER 2	TIER 3	TIER 4
	Appropriate for small businesses whose web presence is a passive marketing tool and their applications have a low availability requirement.	Ideal for firms whose IT requirements are mostly during traditional business hours and do not depend on real-time delivery of products or services.	Companies who offer 24x7 support, support automated business processes, span multiple time zones and would suffer significantly from a data center shutdown.	Best for those with an international market presence delivering year round services, those with e-com transactions who can't afford a shutdown.
SINGLE POINTS-OF-FAILURE	Many + human error	Many + human error	Some + human error	None + fire and EPO
ANNUAL SITE CAUSED IT DOWNTIME	28.8 HOURS	22.0 HOURS	1.6 HOURS	0.8 HOURS
REPRESENTATIVE SITE AVAILABILITY	99.67%	99.75%	99.98%	99.99%

Uptime Requirements

To ensure continuous availability, consider the Uptime's Institute's Tier Classification System, which helps data center, IT, and facility managers understand the issues related to uptime, and ways to achieve a level of uptime performance appropriate to their business goals.

To determine an appropriate [Uptime Tier Level](#), consider not only how much downtime you can afford, but critical data center functions including: Power, Cooling, Monitoring, Security, and Serviceability.

Products & UPS Features Comparison

When choosing a UPS product, consider these features:

	LIEBERT ITA2	LIEBERT GXT4	LIEBERT EXM	LIEBERT EXL S1
TYPE	Three Phase	Single Phase	Three Phase	Three Phase
TOPOLOGY	Double Conversion	On-Line, Double Conversion	Online, Double Conversion	Double Conversion, Dynamic Online, ECO Mode
POWER CAPACITY	8-10kVA	500-10,000VA	10/250W	625-1200kVA
INPUT	208V	120/280V	208 - 480V	480V
OUTPUT	208V	120/208V	208 - 480V	480V
FORM DESIGN	Rack/Tower	Rack/Tower	Transformer Free	Transformer Free
BACKUP	Flexible Backup Options	Flexible Backup Options	Flexible Backup Operations	Flexible Backup Options
IDEAL FOR	Professional workstations, small routers and bridges, point-of-sale terminals, other sensitive electronics	PCs, network stations and closets, VoIP	Edge of the network operations, Emergency lighting, Small to mid-sized IT applications	Large data and mission critical environments like healthcare and financial institutions

Need Help Selecting the Right UPS?

UPS selection is challenging because there are often competing goals for availability, energy consumption, and cost control.

In today's complex technology environment, the right partner is more important than ever. Our team has years of experience and can help you select the UPS that meets your goals.

[Contact us today](#) to learn more about our data center solutions to avoid downtime and increase availability.